

**VIVACELL & BI PRICE LIST 2022**  
**2022年VivaCell & BI价目表**  
**2022年1月1日-2022年6月30日**

货号	产品描述	规格	储存条件	产品 效期 (月)	2022年终端参考 价格 (RMB)	对应BI货号/备注
<b>FOETAL BOVINE SERUM</b> <b>标准胎牛血清</b>						
C04001-500	Certified Fetal Bovine Serum 特级胎牛血清	500ml	-20℃	<b>60</b>	¥3,700	04-001-1A
C04001-100	Certified Fetal Bovine Serum 特级胎牛血清	100ml	-20℃	<b>60</b>	¥1,160	04-001-1B
C04001-050X10	Certified Fetal Bovine Serum 特级胎牛血清	50ml*10支/盒	-20℃	<b>60</b>	¥3,900	无
C04001-050	Certified Fetal Bovine Serum 特级胎牛血清	50ml	-20℃	<b>60</b>	¥640	无
C04001-500HI	Certified Fetal Bovine Serum Heat Inactivated 热灭活特级胎牛血清	500ml	-20℃	<b>60</b>	¥4,600	04-121-1A
C04001-100HI	Certified Fetal Bovine Serum Heat Inactivated 热灭活特级胎牛血清	100ml	-20℃	<b>60</b>	¥1,270	04-121-1B
C04400-500	Certified Fetal Bovine Serum Qualified for Mesenchymal Cells 间充质干细胞专用胎牛血清	500ml	-20℃	<b>60</b>	¥6,100	04-400-1A
C04400-100	Certified Fetal Bovine Serum Qualified for Mesenchymal Cells 间充质干细胞专用胎牛血清	100ml	-20℃	<b>60</b>	¥1,400	04-400-1B
C04400-050X10	Certified Fetal Bovine Serum Qualified for Mesenchymal Cells 间充质干细胞专用胎牛血清	50ml*10支/盒	-20℃	<b>60</b>	¥6,400	无
C04400-050	Certified Fetal Bovine Serum Qualified for Mesenchymal Cells 间充质干细胞专用胎牛血清	50ml	-20℃	<b>60</b>	¥800	无
C04002-500	Certified Fetal Bovine Serum Qualified for Human Embryonic Stem Cell 胚胎干细胞专用胎牛血清	500ml	-20℃	<b>60</b>	¥6,400	04-002-1A

C04002-100	Certified Fetal Bovine Serum Qualified for Human Embryonic Stem Cell 胚胎干细胞专用胎牛血清	100ml	-20℃	<b>60</b>	¥1,500	04-002-1B
C04002-050X10	Certified Fetal Bovine Serum Qualified for Human Embryonic Stem Cell 胚胎干细胞专用胎牛血清	50ml*10支/盒	-20℃	<b>60</b>	¥6,500	无
C04002-050	Certified Fetal Bovine Serum Qualified for Human Embryonic Stem Cell 胚胎干细胞专用胎牛血清	50ml	-20℃	<b>60</b>	¥800	无
C04002-500HI	Certified Fetal Bovine Serum Qualified for Human Embryonic Stem Cell Heat Inactivated 热灭活胚胎干细胞专用胎牛血清	500ml	-20℃	<b>60</b>	¥6,800	04-222-1A
C04002-100HI	Certified Fetal Bovine Serum Qualified for Human Embryonic Stem Cell Heat Inactivated 热灭活胚胎干细胞专用胎牛血清	100ml	-20℃	<b>60</b>	¥1,700	04-222-1B
C2720-0500	Certified Fetal Bovine Serum Qualified for Tetracycline Regulated Systems 四环素调控系统胎牛血清	500ml	-20℃	<b>60</b>	¥7,900	04-005-1A
C2720-0100	Certified Fetal Bovine Serum Qualified for Tetracycline Regulated Systems 四环素调控系统胎牛血清	100ml	-20℃	<b>60</b>	¥1,920	04-005-1B
C2720-0050X10	Certified Fetal Bovine Serum Qualified for Tetracycline Regulated Systems 四环素调控系统胎牛血清	50ml*10支/盒	-20℃	<b>60</b>	¥8,500	无
C2720-0050	Certified Fetal Bovine Serum Qualified for Tetracycline Regulated Systems 四环素调控系统胎牛血清	50ml	-20℃	<b>60</b>	¥1,060	无
C2720-0500HI	Certified Fetal Bovine Serum Qualified for Tetracycline Regulated Systems Heat Inactivated 热灭活四环素调控系统胎牛血清	500ml	-20℃	<b>60</b>	¥8,200	04-125-1A
C2720-0100HI	Certified Fetal Bovine Serum Qualified for Tetracycline Regulated Systems Heat Inactivated 热灭活四环素调控系统胎牛血清	100ml	-20℃	<b>60</b>	¥2,000	04-125-1B

C2730-0500	Certified Fetal Bovine Serum Qualified for Low IgG 低IgG胎牛血清	500ml	-20℃	<b>60</b>	¥13,780	无
C2730-0100	Certified Fetal Bovine Serum Qualified for Low IgG 低IgG胎牛血清	100ml	-20℃	<b>60</b>	¥3,200	无
C2730-0050X10	Certified Fetal Bovine Serum Qualified for Low IgG 低IgG胎牛血清	50ml*10支/盒	-20℃	<b>60</b>	¥14,800	无
C2730-0050	Certified Fetal Bovine Serum Qualified for Low IgG 低IgG胎牛血清	50ml	-20℃	<b>60</b>	¥1,800	无
C3820-0500	Dialyzed Fetal Bovine Serum 透析胎牛血清	500ml	-20℃	<b>60</b>	¥8,200	04-011-1A
C3820-0100	Dialyzed Fetal Bovine Serum 透析胎牛血清	100ml	-20℃	<b>60</b>	¥2,100	04-011-1B
C3820-0050X10	Dialyzed Fetal Bovine Serum 透析胎牛血清	50ml*10支/盒	-20℃	<b>60</b>	¥8,900	无
C3820-0050	Dialyzed Fetal Bovine Serum 透析胎牛血清	50ml	-20℃	<b>60</b>	¥1,280	无
C3830-0500	Charcoal Stripped Fetal Bovine Serum 碳吸附胎牛血清	500ml	-20℃	<b>60</b>	¥8,200	04-201-1A
C3830-0100	Charcoal Stripped Fetal Bovine Serum 碳吸附胎牛血清	100ml	-20℃	<b>60</b>	¥2,100	04-201-1B
C3830-0050X10	Charcoal Stripped Fetal Bovine Serum 碳吸附胎牛血清	50ml*10支/盒	-20℃	<b>60</b>	¥8,900	无
C3830-0050	Charcoal Stripped Fetal Bovine Serum 碳吸附胎牛血清	50ml	-20℃	<b>60</b>	¥1,280	无
C3840-0500	Lipid Depleted Fetal Bovine Serum 去脂胎牛血清	500ml	-20℃	<b>60</b>	¥11,600	无
C3840-0100	Lipid Depleted Fetal Bovine Serum 去脂胎牛血清	100ml	-20℃	<b>60</b>	¥2,600	无
C3840-0050X10	Lipid Depleted Fetal Bovine Serum 去脂胎牛血清	50ml*10支/盒	-20℃	<b>60</b>	¥12,300	无
C3840-0050	Lipid Depleted Fetal Bovine Serum 去脂胎牛血清	50ml	-20℃	<b>60</b>	¥1,500	无
C2810-0500	Certified Gold Fetal Bovine Serum 金牌胎牛血清	500ml	-20℃	<b>60</b>	¥5,000	无

C2810-0100	Certified Gold Fetal Bovine Serum 金牌胎牛血清	100ml	-20℃	60	¥1,280	无
C2810-0050X10	Certified Gold Fetal Bovine Serum 金牌胎牛血清	50ml*10支/盒	-20℃	60	¥5,400	无
C2810-0050	Certified Gold Fetal Bovine Serum 金牌胎牛血清	50ml	-20℃	60	¥660	无
C2820-0500	Certified Gold Fetal Bovine Serum-Australia Origin 金牌胎牛血清-澳洲来源	500ml	-20℃	60	¥1,100	无
C2820-0100	Certified Gold Fetal Bovine Serum-Australia Origin 金牌胎牛血清-澳洲来源	100ml	-20℃	60	¥2,400	无
C2820-0050X10	Certified Gold Fetal Bovine Serum-Australia Origin 金牌胎牛血清-澳洲来源	50ml*10支/盒	-20℃	60	¥11,400	无
C2820-0050	Certified Gold Fetal Bovine Serum-Australia Origin 金牌胎牛血清-澳洲来源	50ml	-20℃	60	¥1,360	无
C2830-0500	Certified Gold Fetal Bovine Serum-New Zealand Origin 金牌胎牛血清-新西兰来源	500ml	-20℃	60	¥11,000	无
C2830-0100	Certified Gold Fetal Bovine Serum-New Zealand Origin 金牌胎牛血清-新西兰来源	100ml	-20℃	60	¥2,400	无
C2830-0050X10	Certified Gold Fetal Bovine Serum-New Zealand Origin 金牌胎牛血清-新西兰来源	50ml*10支/盒	-20℃	60	¥11,400	无
C2830-0050	Certified Gold Fetal Bovine Serum-New Zealand Origin 金牌胎牛血清-新西兰来源	50ml	-20℃	60	¥1,360	无
OTHER SERUM 其他血清						
C2610-0500	Adult Bovine Serum 成年牛血清	500ml	-20℃	48	¥1,060	04-003-1A
C2610-0100	Adult Bovine Serum 成年牛血清	100ml	-20℃	48	¥250	04-003-1B
C2620-0500	Newborn Calf Serum 新生牛血清	500ml	-20℃	48	¥1,440	04-102-1A
C2620-0100	Newborn Calf Serum 新生牛血清	100ml	-20℃	48	¥380	04-102-1B
C2620-0500HI	Newborn Calf Serum Heat Inactivated 热灭活新生牛血清	500ml	-20℃	48	¥1,480	04-122-1A

C2620-0100HI	Newborn Calf Serum Heat Inactivated 热灭活新生牛血清	100ml	-20℃	<b>48</b>	¥380	04-122-1B
C2630-0500	Neonatal Calf Serum 超级新生牛血清（国产胎牛血清）	500ml	-20℃	<b>48</b>	¥2,400	04-010-1A
C2630-0100	Neonatal Calf Serum 超级新生牛血清（国产胎牛血清）	100ml	-20℃	<b>48</b>	¥600	04-010-1B
C2500-1000	Porcine Serum 猪血清	1000ml	-20℃	<b>48</b>	¥2,100	04-006-1K
C2500-0500	Porcine Serum 猪血清	500ml	-20℃	<b>48</b>	¥1,060	04-006-1A
C2500-0100	Porcine Serum 猪血清	100ml	-20℃	<b>48</b>	¥320	04-006-1B
C2510-0500	Horse Serum 马血清	500ml	-20℃	<b>48</b>	¥1,700	04-004-1A
C2510-0100	Horse Serum 马血清	100ml	-20℃	<b>48</b>	¥440	04-004-1B
C2510-0500HI	Horse Serum Heat Inactivated 热灭活马血清	500ml	-20℃	<b>48</b>	¥1,800	04-124-1A
C2510-0100HI	Horse Serum Heat Inactivated 热灭活马血清	100ml	-20℃	<b>48</b>	¥460	04-124-1B
C2520-0500	Rabbit Serum 兔血清	500ml	-20℃	<b>48</b>	¥1,440	04-008-1A
C2520-0100	Rabbit Serum 兔血清	100ml	-20℃	<b>48</b>	¥320	04-008-1B
C2520-0010	Rabbit Serum 兔血清	10ml	-20℃	<b>48</b>	¥38	无
C2530-0500	Goat Serum 羊血清	500ml	-20℃	<b>48</b>	¥1,700	04-009-1A
C2530-0100	Goat Serum 羊血清	100ml	-20℃	<b>48</b>	¥360	04-009-1B
C2530-0010	Goat Serum 羊血清	10ml	-20℃	<b>48</b>	¥38	无
C2540-0500	Donkey Serum 驴血清	500ml	-20℃	<b>48</b>	¥1,440	无

C2540-0100	Donkey Serum 驴血清	100ml	-20℃	<b>48</b>	¥320	无
C2540-0010	Donkey Serum 驴血清	10ml	-20℃	<b>48</b>	¥38	无
C2550-0500	Chicken Serum 鸡血清	500ml	-20℃	<b>48</b>	¥1,440	无
C2550-0100	Chicken Serum 鸡血清	100ml	-20℃	<b>48</b>	¥320	无
C2560-0100	Mouse Serum 小鼠血清	100ml	-20℃	<b>48</b>	¥2,320	无
C2560-0050	Mouse Serum 小鼠血清	50ml	-20℃	<b>48</b>	¥1,280	无
C2570-0100	Rat Serum 大鼠血清	100ml	-20℃	<b>48</b>	¥2,500	无
C2570-0050	Rat Serum 大鼠血清	50ml	-20℃	<b>48</b>	¥1,480	无
	备注：全线血清产品可以提供伽马照射服务					
	备注：辐照1~5 瓶，加价300元/瓶，辐照>5瓶，加价200元/瓶					
<b>LIQUID MEDIA</b> <b>液体培养基</b>						
C3010-0500	RPMI 1640 With L-Glutamine RPMI1640（含谷氨酰胺）	500ml	4℃	<b>12</b>	¥86	01-100-1ACS
C3011-0500	RPMI 1640 With L-Glutamine, SLE Grade 超低内毒素RPMI1640（含谷氨酰胺，SLE级别）	500ml	4℃	<b>12</b>	¥1,400	无
C3020-0500	McCoy's 5A Medium (Modified), with L-Glutamine McCoy's 5A（含谷氨酰胺）	500ml	4℃	<b>12</b>	¥86	01-075-1ACS
C3030-0500	Medium M-199 (M199E), Earle's Salts Base, with L-Glutamine M-199（含谷氨酰胺）	500ml	4℃	<b>12</b>	¥86	01-080-1ACS
C3040-0500	Iscoe's Modified Dulbecco's Medium (IMDM), with L-Glutamine, without Alpha-Thioglycerol, without Beta-Mercaptoethanol IMDM（含谷氨酰胺）	500ml	4℃	<b>12</b>	¥86	01-058-1ACS

C3050-0500	Minimum Essential Medium Eagle,(E-MEM), with Earle's salts and L-Glutamine, without NEAA E-MEM (含谷氨酰胺)	500ml	4°C	12	¥86	01-026-1ACS
C3060-0500	Minimum Essential Medium Alpha (α-MEM), with L-Glutamine, without Ribonucleosides , Deoxyribonucleosides α-MEM (含谷氨酰胺)	500ml	4°C	12	¥86	01-042-1ACS
C3061-0500	Minimum Essential Medium Alpha (α-MEM), with L-Glutamine, without Ribonucleosides , Deoxyribonucleosides , SLE Grade 超低内毒素α-MEM (含谷氨酰胺, SLE级别)	500ml	4°C	12	¥160	无
C3062-0500	Minimum Essential Medium Alpha (α-MEM), with L-Glutamine, without Ribonucleosides , Deoxyribonucleosides, without Phenol red α-MEM (含谷氨酰胺, 不含酚红)	500ml	4°C	12	¥160	06-1042-03-1ACS
C3063-0500	Minimum Essential Medium Alpha (α-MEM), with L-Glutamine, without Ribonucleosides , Deoxyribonucleosides, without Phenol red, SLE Grade 超低内毒素α-MEM (含谷氨酰胺, 不含酚红, SLE级别)	500ml	4°C	12	¥160	无
C3070-0500	Leibovitz L-15 Medium, with L-Glutamine L-15 (含谷氨酰胺)	500ml	4°C	12	¥160	01-115-1ACS
C3110-0500	Dulbecco' s Modified Eagle Medium (DMEM), With 4.5g/L D-Glucose (High Glucose), with L-Glutamine, without Sodium Pyruvate DMEM高糖 (含谷氨酰胺, 不含丙酮酸钠)	500ml	4°C	12	¥86	01-052-1ACS
C3111-0500	Dulbecco' s Modified Eagle Medium (DMEM), With 4.5g/L D-Glucose (High Glucose), with L-Glutamine, without Sodium Pyruvate, SLE Grade 超低内毒素DMEM高糖 (含谷氨酰胺, 不含丙酮酸钠, SLE级别)	500ml	4°C	12	¥160	无
C3112-0500	Dulbecco' s Modified Eagle Medium (DMEM), With 4.5g/L D-Glucose (High Glucose), with L-Glutamine, without Sodium Pyruvate, without Phenol Red DMEM高糖 (含谷氨酰胺, 不含丙酮酸钠, 不含酚红)	500ml	4°C	12	¥160	06-1052-04-1ACS
C3113-0500	Dulbecco's Modified Eagle Medium (DMEM), with 4.5g/L D-Glucose (High Glucose), with L-Glutamine, with Sodium Pyruvate DMEM高糖 (含谷氨酰胺, 含丙酮酸钠)	500ml	4°C	12	¥86	06-1055-57-1ACS

C3114-0500	Dulbecco's Modified Eagle Medium (DMEM), with 4.5g/L D-Glucose (High Glucose), , with L-Glutamine, with Sodium Pyruvate, SLE Grade 超低内毒素DMEM高糖（含谷氨酰胺，含丙酮酸钠，SLE级别）	500ml	4°C	12	¥160	无
C3120-0500	Dulbecco's Modified Eagle Medium (DMEM), with 1g/L D-Glucose (Low Glucose), with L-Glutamine, with Sodium Pyruvate DMEM低糖（含谷氨酰胺）	500ml	4°C	12	¥86	01-051-1ACS
C3130-0500	Dulbecco's Modified Eagle Medium (DMEM): Nutrient Mixture F-12 (Ham's) (1:1) with L-Glutamine and Sodium Pyruvate, with Hepes 15mM DMEM: F12 (1:1)（含谷氨酰胺，含丙酮酸钠，含HEPES）	500ml	4°C	12	¥86	01-172-1ACS
C3131-0500	Dulbecco's Modified Eagle Medium (DMEM): Nutrient Mixture F-12 (Ham's) (1:1) with L-Glutamine and Sodium Pyruvate, with Hepes 15mM, SLE Grade 超低内毒素DMEM: F12 (1:1)（含谷氨酰胺，含丙酮酸钠，含HEPES，SLE级别）	500ml	4°C	12	¥160	无
C3132-0500	Dulbecco's Modified Eagle Medium (DMEM): Nutrient Mixture F-12 (Ham's) (1:1) with L-Glutamine, sodium Pyruvate, without Hepes DMEM: F12（含谷氨酰胺，含丙酮酸钠，不含HEPES）	500ml	4°C	12	¥160	06-1170-87-1ACS
C3133-0500	Dulbecco's Modified Eagle Medium (DMEM): Nutrient Mixture F-12 (Ham's) (1:1) with L-Glutamine, sodium Pyruvate , Hepes 15mM, without Pheno red DMEM: F12（含谷氨酰胺，含丙酮酸钠，含Hepes，不含酚红）	500ml	4°C	12	¥160	无
C3134-0500	Nutrient Mixture F-12 (Ham's), with L-Glutamine F-12（含谷氨酰胺）	500ml	4°C	12	¥160	01-095-1ACS
C3560-0500	Water, Cell Culture Grade 水，细胞培养级别	500ml	AMB	36	¥86	03-055-1ACS
C3570-0500	Hanks' Balanced Salt Solution HBSS平衡盐溶液（含钙，镁和酚红）	500ml	AMB	24	¥86	02-015-1ACS
C3571-0500	Hanks' Balanced Salt Solution, without Calcium and Magnesium, without Phenol Red HBSS平衡盐溶液（无钙，镁和酚红）	500ml	AMB	24	¥86	02-018-1ACS



C3580-0500	Phosphate Buffered Saline (PBS), PH=7.4, without Calcium and Magnesium PBS (不含钙, 镁)	500ml	AMB	24	¥86	02-024-1ACS
C3581-0500	Phosphate Buffered Saline (PBS), PH=7.4, without Calcium and Magnesium, SLE Grade 超低内毒素PBS (不含钙, 镁, SLE级别)	500ml	AMB	24	¥160	无
C3582-0500	Phosphate Buffered Saline (PBS), 10X Conc., PH=7.4, without Calcium and Magnesium PBS缓冲液 (不含钙, 镁, 10倍浓缩液)	500ml	AMB	24	¥440	02-024-5ACS
C3590-0500	Dulbecco's Phosphate Buffered Saline (DPBS), without Calcium and Magnesium DPBS (不含钙, 镁)	500ml	AMB	24	¥86	02-023-1ACS
C3591-0500	Dulbecco's Phosphate Buffered Saline (DPBS), without Calcium and Magnesium, SLE Grade 超低内毒素DPBS (不含钙, 镁, SLE级别)	500ml	AMB	24	¥160	无
C3592-0500	Dulbecco's Phosphate Buffered Saline (DPBS), 10X Conc., without Calcium and Magnesium DPBS缓冲液 (不含钙, 镁和酚红, 10倍浓缩液)	500ml	AMB	24	¥440	02-023-5ACS
<b>CELL AUXILIARY SOLUTIONS</b> <b>细胞辅助溶液</b>						
C3530-0500	Trypsin EDTA Solution A (0.25%), EDTA (0.02%), with Phenol Red 胰酶 (胰蛋白酶0.25%, EDTA0.02%)	500ml	-20°C	18	¥400	03-050-1A
C3530-0100	Trypsin EDTA Solution A (0.25%), EDTA (0.02%), with Phenol Red 胰酶 (胰蛋白酶0.25%, EDTA0.02%)	100ml	-20°C	18	¥160	03-050-1B
C3532-0500	Trypsin EDTA Solution B (0.25%), EDTA (0.05%), with Phenol Red 胰酶 (胰蛋白酶0.25%, EDTA0.05%)	500ml	-20°C	18	¥520	03-052-1A
C3532-0100	Trypsin EDTA Solution B (0.25%), EDTA (0.05%), with Phenol Red 胰酶 (胰蛋白酶0.25%, EDTA0.05%)	100ml	-20°C	18	¥180	03-052-1B
C3533-0500	Trypsin EDTA Solution C (0.05%), EDTA (0.02%), with Phenol Red 胰酶 (胰蛋白酶0.05%, EDTA0.02%)	500ml	-20°C	18	¥520	03-053-1A
C3533-0100	Trypsin EDTA Solution C (0.05%), EDTA (0.02%), with Phenol Red 胰酶 (胰蛋白酶0.05%, EDTA0.02%)	100ml	-20°C	18	¥180	03-053-1B

C3430-0100	Amphotericin B Solution, 250 microgram/ml 两性霉素B	100ml	-20℃	<b>18</b>	¥230	03-028-1B
C3420-0100	Penicillin-Streptomycin Solution, 10,000 units/ml Penicillin G Sodium Salt, 10mg/ml Streptomycin Sulfate 青链双抗	100ml	-20℃	<b>15</b>	¥200	03-031-1B
C3421-0100	Penicillin-Streptomycin Solution, 10X Conc., 100,000 units/ml Penicillin G Sodium Salt, 100mg/ml, Streptomycin Sulfate 青链双抗, 10X浓缩液	100ml	-20℃	<b>12</b>	¥580	03-031-5B
C3422-0100	Penicillin-Streptomycin Nystatin Solution, 10,000 units/ml Penicillin G Sodium Salt, 10mg/ml Streptomycin Sulfate, 1,250 units/ml Nystatin 青链霉素, 制真菌素三抗	100ml	-20℃	<b>15</b>	¥260	03-032-1B
C3423-0100	Penicillin-Streptomycin Amphotericin B Solution, 10,000 units/ml Penicillin G Sodium Salt, 10mg/ml Streptomycin Sulfate, 25 microgram/ml Amphotericin B 青链霉素, 两性霉素B三抗	100ml	-20℃	<b>18</b>	¥260	03-033-1B
C3520-0500	Serum-Free Cell Freezing Medium 无血清细胞冻存液	500ml	4℃	<b>18</b>	¥2,800	05-065-1A
C3520-0100	Serum-Free Cell Freezing Medium 无血清细胞冻存液	100ml	4℃	<b>18</b>	¥600	05-065-1B
C3501-0100	MSC ACF Tissue Digestive Mix AF高效原代干细胞分离液	100ml	-20℃	<b>12</b>	¥2,400	无
C3501-0020	MSC ACF Tissue Digestive Mix AF高效原代干细胞分离液	20ml	-20℃	<b>12</b>	¥640	无
C3501-0010	MSC ACF Tissue Digestive Mix AF高效原代干细胞分离液	10ml	-20℃	<b>12</b>	¥340	无
C37A0-0150	Adipo-dye for adipocytes staining kit in adipogenic differentiation 间充质干细胞成脂分化染色试剂盒	150ml	4℃	<b>12</b>	¥580	无
C37B0-0150	Chondro-dye for chondrocytes staining kit in chondrogenic differentiation 间充质干细胞成软骨分化染色试剂盒	150ml	4℃	<b>12</b>	¥580	无
C37C0-0150	Osteo-dye for osteocytes staining kit in osteogenic differentiation 间充质干细胞成骨分化染色试剂盒	150ml	4℃	<b>12</b>	¥580	无

C3210-0005	ITS Xeno Free Cell Culture Media Supplement (100X) ITS细胞添加物 (100X)	5ml	4°C	12	¥380	无
C3213-0005	ITS-E Xeno Free Cell Culture Media Supplement (100X) ITS-E细胞添加物 (100X)	5ml	4°C	12	¥390	无
C3660-0500	Endothelial Cell Complete Medium 内皮细胞完全培养基	500ml	-20°C	24	¥1,900	无
C3660-0100	Endothelial Cell Complete Medium 内皮细胞完全培养基	100ml	-20°C	24	¥600	无
C3650-0500	Epithelial Cell Complete Medium 上皮细胞完全培养基	500ml	-20°C	24	¥1,900	无
C3650-0100	Epithelial Cell Complete Medium 上皮细胞完全培养基	100ml	-20°C	24	¥600	无
C3670-0500	Expander Complete Single Cell Complete Medium 单细胞增殖完全培养基	500ml	-20°C	12	¥450	无
C3310-0500	Transf $\alpha$ -MEM Reduced Serum Medium 减血清细胞转染培养基	500ml	4°C	12	¥480	无
<b>POWDERED CELL CULTURE MEDIA</b> <b>干粉培养基</b>						
C3010-P050K	RPMI Medium 1640, Powder, with L-Glutamine, without Sodium Bicarbonate RPMI1640干粉 (含谷氨酰胺, 不含碳酸氢钠)	1x50L	4°C	36	¥830	11-100-1N
C3020-P050K	McCoy's 5A Medium (Modified), Powder, with L-Glutamine McCoy's 5A干粉 (含谷氨酰胺)	1x50L	4°C	36	¥1,290	无
C3030-P050K	Medium M-199 (M199E), Earle's Salts Base, Powder, with L-Glutamine M-199干粉 (含谷氨酰胺, 不含碳酸氢钠)	1x50L	4°C	36	¥830	11-080-1N
C3040-P050K	Iscoe's Modified Dulbecco's Medium (IMDM), Powder, with L-Glutamine, without Alpha-Thioglycerol, without Beta-Mercaptoethanol IMDM干粉 (含谷氨酰胺, 不含碳酸氢钠)	1x50L	4°C	36	¥1,290	11-058-1N
C3050-P050K	Minimum Essential Medium Eagle, (MEM-E), Powder, with Earle's salts and L-Glutamine, without NEAA MEM-E干粉 (含谷氨酰胺)	1x50L	4°C	36	¥830	11-025-1N

C3060-P050K	Minimum Essential Medium-Alpha (MEM-Alpha), Powder, with L-Glutamine, without Ribonucleosides, Deoxyribonucleosides MEM-a干粉 (含谷氨酰胺, 不含核糖核苷和脱氧核苷, 含酚红)	1x50L	4°C	36	¥830	11-042-1N
C3062-P050K	Minimum Essential Medium-Alpha (MEM-Alpha), Powder, with L-Glutamine, without Ribonucleosides, Deoxyribonucleosides, Phenol red MEM-a干粉 (含谷氨酰胺, 不含核糖核苷和脱氧核苷, 无酚红)	1x50L	4°C	36	¥830	无
C3070-P050K	Leibovitz's L-15 Medium Powder, with L-Glutamine without Sodium bicarbonate Leibovitz's L-15干粉 (含谷氨酰胺, 不含碳酸氢钠)	1x50L	4°C	36	¥6,000	无
C3110-P050K	Dulbecco's Modified Eagle Medium (DMEM), Powder, With 4.5g/L D-Glucose (High Glucose), with 4mM L-Glutamine, without Sodium Pyruvate DMEM高糖干粉 (含谷氨酰胺, 不含丙酮酸铵, 不含碳酸氢钠)	1x50L	4°C	36	¥830	11-055-1N
C3112-P050K	Dulbecco's Modified Eagle Medium (DMEM), Powder, With 4.5g/L D-Glucose (High Glucose), with 4mM L-Glutamine, without Sodium Pyruvate, without Phenol Red DMEM高糖干粉 (含谷氨酰胺, 不含丙酮酸铵, 无酚红)	1x50L	4°C	36	¥830	无
C3113-P050K	Dulbecco's Modified Eagle Medium (DMEM), Powder, with 4.5g/L D-Glucose (High Glucose), with Sodium Pyruvate, with L-Glutamine DMEM高糖干粉 (含丙酮酸铵, 含谷氨酰胺, 含酚红)	1x50L	4°C	36	¥830	无
C3120-P050K	Dulbecco's Modified Eagle Medium (DMEM), Powder, with 1g/L D-Glucose (Low Glucose), with Sodium Pyruvate 110mg/L, with L-Glutamine DMEM低糖干粉 (含谷氨酰胺, 含碳酸氢钠)	1x50L	4°C	36	¥830	11-050-1N
C3130-P050K	Dulbecco's Modified Eagle Medium (DMEM): Nutrient Mixture F-12 (Ham's) (1:1) Powder, with L-Glutamine and Sodium Pyruvate, with Hepes 15mM DMEM: F12 (1:1)干粉 (含谷氨酰胺, 不含碳酸氢钠)	1x50L	4°C	36	¥1,880	11-170-1N

C3132-P050K	Dulbecco's Modified Eagle Medium (DMEM): Nutrient Mixture F-12 (Ham's) (1:1) Powder, with L-Glutamine,sodium Pyruvate, without Hepes DMEM: F12 (1:1干粉 (含谷氨酰胺, 不含HEPES)	1x50L	4°C	36	¥1,150	无
C3133-P050K	Dulbecco's Modified Eagle Medium (DMEM): Nutrient Mixture F-12 (Ham's) (1:1) Powder, with L-Glutamine, sodium Pyruvate , Hepes 15mM, without Pheno red DMEM: F12 (1:1干粉 (含谷氨酰胺、含HEPES、无酚红)	1x50L	4°C	36	¥1,880	无
C3134-P050K	Nutrient Mixture F-12 Ham, Powder, with L-Glutamine F-12干粉 (含谷氨酰胺、不含碳酸氢钠)	1x50L	4°C	36	¥830	11-095-1N
C3570-P050K	Hanks' Balanced Salt Powder HBSS干粉 (含钙、镁和酚红)	1x50L	4°C	36	¥640	无
C3571-P050K	Hanks' Balanced Salt Powder, Without Calcium and Magnesium, Without Phenol Red HBSS干粉 (无钙、镁和酚红)	1x50L	4°C	36	¥640	无
C3580-P050K	Phosphate Buffered Saline (PBS), Powder, without Calcium and Magnesium PBS干粉	1x50L	4°C	36	¥640	11-224-1N
C3590-P050K	Dulbecco's Phosphate Buffered Saline (DPBS),Powder without Calcium and Magnesium DPBS干粉	1x50L	4°C	36	¥640	11-223-1N
<b>XENO-FREE MEDIA FOR STEM CELL</b> <b>干细胞无血清培养基</b>						
PLTGOLD500R 备注: Mill Creek 品牌	PLTGold® Human Platelet Lysate 血小板裂解物	500ml	-20°C	36	¥21,450	PLTGOLD500R
C8010-0100	PLTGold® Human Platelet Lysate 血小板裂解物	100ml	-20°C	36	¥4,680	PLTGOLD100R
C8010-0050	PLTGold® Human Platelet Lysate 血小板裂解物	50ml	-20°C	36	¥2,470	PLTGOLD050R
C8010-0010	PLTGold® Human Platelet Lysate 血小板裂解物	10ml	-20°C	36	¥560	PLTGOLD010R

PLTGOLD500G MP 备注: Mill Creek 品牌	PLTGold® Human Platelet Lysate (Clinical Grade) 血小板裂解物 (临床级)	500ml	-20°C	36	¥29,900	PLTGOLD500G MP
C8011-0100	PLTGold® Human Platelet Lysate (Clinical Grade) 血小板裂解物 (临床级)	100ml	-20°C	36	¥6,520	PLTGOLD100G MP
C8011-0050	PLTGold® Human Platelet Lysate (Clinical Grade) 血小板裂解物 (临床级)	50ml	-20°C	36	¥3,640	PLTGOLD050G MP
C8011-0010	PLTGold® Human Platelet Lysate (Clinical Grade) 血小板裂解物 (临床级)	10ml	-20°C	36	¥780	PLTGOLD010G MP
	备注: PLTGOLD辐照1~5 瓶, 加价300元/瓶, 辐照>5瓶, 加价200元/瓶					
<b>REAGENTS FOR DETECTION, DISINFECTING AND TREATMENT OF MYCOPLASMA</b> <b>支原体预防、检测及处理试剂</b>						
20-700-20	EZ-PCR Mycoplasma Test Kit 支原体检测试剂盒	20 assays	-20°C	36	¥2,420	
03-036-1B	BIOMYC-1 Antibiotic Solution 100X Conc. 支原体处理试剂1	100ml	-20°C	18	¥3,830	
03-036-1C	BIOMYC-1 Antibiotic Solution 100X Conc. 支原体处理试剂1	20ml	-20°C	18	¥960	
03-036-1D	BIOMYC-1 Antibiotic Solution 100X Conc. 支原体处理试剂1	10ml	-20°C	18	¥560	
03-037-1B	BIOMYC-2 Antibiotic Solution 100X Conc. 支原体处理试剂2	100ml	-20°C	18	¥2,540	
03-037-1C	BIOMYC-2 Antibiotic Solution 100X Conc. 支原体处理试剂2	20ml	-20°C	18	¥640	
03-037-1D	BIOMYC-2 Antibiotic Solution 100X Conc. 支原体处理试剂2	10ml	-20°C	18	¥380	
03-038-1B	BIOMYC-3 Antibiotic Solution 100X Conc. 支原体处理试剂3	100ml	-20°C	18	¥2,200	
03-038-1C	BIOMYC-3 Antibiotic Solution 100X Conc. 支原体处理试剂3	20ml	-20°C	18	¥520	

03-038-1D	BIOMYC-3 Antibiotic Solution 100X Conc. 支原体处理试剂3	10ml	-20°C	<b>18</b>	¥280	
IC-110100-G	Pharmacidal, for disinfecting surfaces (without spray can) 支原体灭菌液	5 liter	AMB	<b>60</b>	¥6,420	
IC-110100	Pharmacidal, spray can for disinfecting surfaces 支原体灭菌液	1 liter	AMB	<b>60</b>	¥1,570	
IC-110100-L	Pharmacidal, spray can for disinfecting surfaces 支原体灭菌液	250ml	AMB	<b>60</b>	¥740	
IC-110100-B	Pharmacidal, spray can for disinfecting surfaces 支原体灭菌液	100ml	AMB	<b>60</b>	¥460	
01-867-1B	AQUAGUARD-1 Solution, for disinfecting water baths of CO2 incubators, use at 10ml per liter AQUAGUARD-1, 支原体预防试剂, 消毒培养箱水盘	100ml	-20°C	<b>24</b>	¥220	
01-916-1E	AQUAGUARD-2 Solution, for disinfecting ordinary water baths, use at 2ml per liter AQUAGUARD-2, 支原体预防试剂, 消毒水浴锅	50ml	-20°C	<b>24</b>	¥330	
01-916-1A	AQUAGUARD-2 Solution, for disinfecting ordinary water baths, use at 2ml per liter AQUAGUARD-2, 支原体预防试剂, 消毒水浴锅	500ml	-20°C	<b>24</b>	¥1,980	
<b>SERUM-FREE MEDIA AND ANIMAL COMPONENT FREE MEDIA</b> <b>无血清培养基</b>						
05-010-1A	DCCM-1 without L-Glutamine 高蛋白杂交瘤细胞无血清培养基	500ml	4°C	<b>15</b>	¥1,300	
05-015-1A	DCCM-2 without L-Glutamine 低蛋白杂交瘤细胞无血清培养基	500ml	4°C	<b>15</b>	¥1,300	
05-040-1A	Low Protein Media BSA-Free (LPM), without L-Glutamine 低蛋白无血清培养基	500ml	4°C	<b>15</b>	¥1,120	
05-060-1A	BIO-MPM-1, Multi-Purpose SFM, without L-Glutamine 贴壁细胞无血清培养基	500ml	4°C	<b>15</b>	¥1,120	
05-065-1A	Serum-Free Cell Freezing Medium 无血清细胞冻存液	500ml	4°C	<b>18</b>	¥2,800	
05-065-1B	Serum-Free Cell Freezing Medium 无血清细胞冻存液	100ml	4°C	<b>18</b>	¥600	

CFV3FA4000 备注: 05-068-1A	NutriVero™ Flex 10, Chemically defined, serum-free, animal component-free medium designed for the culture of Vero cells Vero细胞无血清培养基	500ml	4°C	12	¥1,690	
CFV3FA4009	NutriVero™ Flex 10, without Phenol Red, Chemically defined, serum-free, animal component-free medium designed for the culture of Vero cells Vero细胞无血清培养基 (无酚红)	500ml	4°C	12	¥1,690	
05-080-1A	BIOTARGET-1 without L-Glutamine 单核细胞无血清培养基	500ml	4°C	15	¥1,090	
05-750-1H	Human Fibronectin 人纤维粘连蛋白	5ml	4°C	24	¥10,920	
05-750-1F	Human Fibronectin 人纤维粘连蛋白	1ml	4°C	24	¥2,730	
<b>XENO-FREE MEDIA FOR STEM CELL</b> <b>干细胞无血清培养基</b>						
03-078-1B	Recombinant Trypsin Solution 重组胰酶 (不含EDTA)	100ml	AMB	18	¥610	
03-079-1A	Recombinant Trypsin EDTA Solution 重组胰酶 (含EDTA)	500ml	AMB	18	¥2,080	
03-079-1B	Recombinant Trypsin EDTA Solution 重组胰酶 (含EDTA)	100ml	AMB	18	¥780	
03-048-1C	Soybean Trypsin Inhibitor 50X Conc., 5mg/ml 大豆胰蛋白酶抑制剂	20ml	-20°C	18	¥1,040	
05-100-1A	NutriStem® hPSC XF Medium 多能干细胞无血清培养基	500ml	-20°C	18	¥4,200	
05-100-1B	NutriStem® hPSC XF Medium 多能干细胞无血清培养基	100ml	-20°C	18	¥1,140	
06-5100-01-1A	NutriStem hPSC XF Medium W/O TGF & FGF 多能干细胞无血清培养基 (不含 TGF & FGF)	500ml	-20°C	18	¥4,300	
05-753-1F	LaminStem™ 521 重组层粘连蛋白	1ml	-20°C	24	¥3,560	
05-754-0002	Vitronectin ACF 无血清玻连蛋白	200µg	-20°C	12	¥1,560	



01-862-1B	0.5M EDTA solution EDTA溶液	100ml	AMB	12	¥400	
05-202-1A	Nutristem MSC XF Basal Medium without Phenol Red 间充质干细胞无血清基础培养基 (无酚红)	500ml	4°C	12	¥2,600	
05-200-1A	Nutristem MSC XF Basal Medium 间充质干细胞无血清基础培养基	500ml	4°C	12	¥4,800	
05-200-1A	Nutristem MSC XF Basal Medium 间充质干细胞无血清基础培养基	500ml	4°C			
05-201-1U	Nutristem MSC XF Supplement Mix 间充质干细胞无血清营养添加物	1x3ml	-20°C			
05-752-1H	MSC Attachment Solution 间充质干细胞促贴壁试剂 (无动物源成分)	5ml	4°C	24	¥10,800	
05-752-1F	MSC Attachment Solution 间充质干细胞促贴壁试剂 (无动物源成分)	1ml	4°C	24	¥2,600	
05-752-105	MSC Attachment Solution 间充质干细胞促贴壁试剂 (无动物源成分)	0.5ml	4°C	24	¥1,430	
05-760-1-15	NutriCoat™ Attachment Solution NutriCoat MSC促贴壁试剂	1.5ml	AMB	24	¥1,580	
05-713-1A	NutriFreez™ D10 Cryopreservation Medium NutriFreez™ D10无血清冻存液 (无动物源成分)	500ml	4°C	18	¥5,400	
05-713-1B	NutriFreez™ D10 Cryopreservation Medium NutriFreez™ D10无血清冻存液 (无动物源成分)	100ml	4°C	18	¥1,560	
05-713-1E	NutriFreez™ D10 Cryopreservation Medium NutriFreez™ D10无血清冻存液 (无动物源成分)	50ml	4°C	18	¥1,160	
05-714-1A	NutriFreez™ D10 Cryopreservation Medium, w/o phenol-red NutriFreez™ D10无血清冻存液 (无动物源成分, 无酚红)	500ml	4°C	18	¥5,400	
05-714-1B	NutriFreez™ D10 Cryopreservation Medium, w/o phenol-red NutriFreez™ D10无血清冻存液 (无动物源成分, 无酚红)	100ml	4°C	18	¥1,560	
05-714-1E	NutriFreez™ D10 Cryopreservation Medium, w/o phenol-red NutriFreez™ D10无血清冻存液 (无动物源成分, 无酚红)	50ml	4°C	18	¥1,160	
05-220-1B	MSCgo™ Chondrogenic Differentiation Basal Medium 间充质干细胞成软骨诱导分化基础培养基	100ml	4°C	12	¥3,900	
05-221-1D	MSCgo™ Chondrogenic Differentiation Supplement Mix 间充质干细胞成软骨诱导分化营养添加物	10ml	-20°C			

05-330-1B	MSCgo™ Adipogenic Differentiation Basal Medium 间充质干细胞成脂诱导分化基础培养基	100ml	4°C	12	¥5,200	
05-331-1-01	MSCgo™ Adipogenic SF,XF Supplement Mix I 间充质干细胞成脂诱导分化营养添加物I	0.1ml	-20°C			
05-332-1-15	MSCgo™ Adipogenic SF,XF Supplement Mix II 间充质干细胞成脂诱导分化营养添加物II	1.5ml	-20°C			
05-440-1B	MSCgo™ Osteogenic Differentiation Medium 间充质干细胞成骨诱导分化试剂	100ml	4°C	12	¥5,580	
05-442-1B	MSCgo™ Rapid Osteogenic Differentiation Medium 间充质干细胞成骨快速诱导分化试剂	100ml	4°C	12	¥5,980	
05-400-1A	EndoGo XF Basel Medium 内皮细胞无血清基础培养基	500ml	-20°C	12	¥3,250	
05-410-1-25	EndoGo XF Supplement Mix 内皮细胞无血清添加剂	2.5ml	-20°C	12	¥8,180	
<b>MISCELLANEOUS AQUEOUS SOLUTIONS</b> <b>细胞辅助溶液</b>						
03-015-1B	Ethylenediaminetetraacetic Acid (EDTA) Disodium Salt Solution, 0.05% in DPBS EDTA溶液	100ml	AMB	24	¥160	
03-020-1A	L-Glutamine Solution, 29.2mg/ml in Saline (200 millimole/liter) 谷氨酰胺溶液	500ml	-20°C	24	¥570	
03-020-1B	L-Glutamine Solution, 29.2mg/ml in Saline (200 millimole/liter) 谷氨酰胺溶液	100ml	-20°C	24	¥220	
03-022-1B	L-Alanyl-L-Glutamine (Stable Glutamine), 200 mM per liter 谷氨酰胺溶液 (稳定型)	100ml	-20°C	24	¥600	
03-025-1B	Hepes Buffer Solution, pH 7.3 at 37°C, 1.0 Molar Hepes缓冲液	100ml	AMB	18	¥440	
03-028-1B	Amphotericin B Solution, 250 microgram/ml 两性霉素B	100ml	-20°C	18	¥250	
03-029-1B	Amphotericin B Solution, 2500 microgram/ml 两性霉素B	100ml	-20°C	18	¥610	
03-030-1C	Nystatin Suspension, 10,000 units/ml 制霉菌素	20ml	-20°C	18	¥140	

03-031-1B	Penicillin-Streptomycin Solution, 10,000 units/ml Penicillin G Sodium Salt, 10mg/ml Streptomycin Sulfate 青链双抗	100ml	-20℃	<b>15</b>	¥220	
03-031-5B	Penicillin-Streptomycin Solution, 10X Conc., 100,000 units/ml Penicillin G Sodium Salt, 100mg/ml, Streptomycin Sulfate 青链双抗, 10浓缩液	100ml	-20℃	<b>12</b>	¥640	
03-032-1B	Penicillin-Streptomycin Nystatin Solution, 10,000 units/ml Penicillin G Sodium Salt, 10mg/ml Streptomycin Sulfate, 1,250 units/ml Nystatin 青链霉素, 制真菌素三抗	100ml	-20℃	<b>15</b>	¥290	
03-033-1B	Penicillin-Streptomycin Amphotericin B Solution, 10,000 units/ml Penicillin G Sodium Salt, 10mg/ml Streptomycin Sulfate, 25 microgram/ml Amphotericin B 青链霉素, 两性霉素B三抗	100ml	-20℃	<b>18</b>	¥290	
03-034-1B	Penicillin-Streptomycin Neomycin Solution, 10,000 units/ml Penicillin G Sodium Salt, 10mg/ml Streptomycin Sulfate, 10mg/ml Neomycin Sulfate 青链霉素, 新霉素三抗	100ml	-20℃	<b>15</b>	¥290	
03-035-1B	Gentamycin Sulfate Solution, 50 mg/ml 硫酸庆大霉素溶液	100ml	AMB	<b>24</b>	¥530	
03-040-1A	Sodium Bicarbonate Solution (7.5%) 碳酸氢钠溶液	500ml	AMB	<b>36</b>	¥540	
03-040-1B	Sodium Bicarbonate Solution (7.5%) 碳酸氢钠溶液	100ml	AMB	<b>36</b>	¥210	
03-042-1B	Sodium Pyruvate Solution, 11.0mg/ml (100 mM) 丙酮酸钠	100ml	-20℃	<b>24</b>	¥210	
03-045-1B	Trypsin Solution A (0.25%), with Calcium and Magnesium, without Phenol Red 胰蛋白酶 (含钙和镁, 不含酚红, 不含EDTA)	100ml	4℃	<b>18</b>	¥170	
03-046-1A	Trypsin Solution B (0.25%), without Calcium and Magnesium, without Phenol Red 胰蛋白酶 (不含钙和镁, 不含酚红, 不含EDTA)	500ml	-20℃	<b>18</b>	¥570	

03-046-1B	Trypsin Solution B (0.25%), without Calcium and Magnesium, without Phenol Red 胰蛋白酶 (不含钙和镁, 不含酚红, 不含EDTA)	100ml	-20°C	<b>18</b>	¥220	
03-046-5B	Trypsin Solution B (2.5%), 10X Conc., without Calcium and Magnesium, without Phenol Red 胰蛋白酶 (不含钙和镁, 不含酚红, 10倍浓缩液)	100ml	-20°C	<b>18</b>	¥350	
03-049-1B	Kanamycin Sulphate Solution, 10mg/ml 卡那霉素溶液	100ml	-20°C	<b>12</b>	¥480	
03-050-1A	Trypsin EDTA Solution A (0.25%), EDTA (0.02%), with Phenol Red 胰酶 (胰蛋白酶0.25%, EDTA0.02%)	500ml	-20°C	<b>18</b>	¥440	
03-050-1B	Trypsin EDTA Solution A (0.25%), EDTA (0.02%), with Phenol Red 胰酶 (胰蛋白酶0.25%, EDTA0.02%)	100ml	-20°C	<b>18</b>	¥180	
03-051-5B	Trypsin EDTA (0.5%), EDTA 0.2% , 10X Conc, without Phenol Red 胰酶, 不含酚红, 10倍浓缩液	100ml	-20°C	<b>18</b>	¥370	
03-052-1A	Trypsin EDTA Solution B (0.25%), EDTA (0.05%), with Phenol Red 胰酶 (胰蛋白酶0.25%, EDTA0.05%)	500ml	-20°C	<b>18</b>	¥570	
03-052-1B	Trypsin EDTA Solution B (0.25%), EDTA (0.05%), with Phenol Red 胰酶 (胰蛋白酶0.25%, EDTA0.05%)	100ml	-20°C	<b>18</b>	¥200	
03-053-1A	Trypsin EDTA Solution C (0.05%), EDTA (0.02%), with Phenol Red 胰酶 (胰蛋白酶0.05%, EDTA0.02%)	500ml	-20°C	<b>18</b>	¥570	
03-053-1B	Trypsin EDTA Solution C (0.05%), EDTA (0.02%), with Phenol Red 胰酶 (胰蛋白酶0.05%, EDTA0.02%)	100ml	-20°C	<b>18</b>	¥200	
03-054-1A	Trypsin EDTA Solution C (0.05%), EDTA (0.02%), without Phenol Red 胰酶 (胰蛋白酶0.05%, EDTA0.02%, 无酚红)	500ml	-20°C	<b>18</b>	¥540	
03-054-1B	Trypsin EDTA Solution C (0.05%), EDTA (0.02%), without Phenol Red 胰酶 (胰蛋白酶0.05%, EDTA0.02%, 无酚红)	100ml	-20°C	<b>18</b>	¥190	
03-071-1B	Cell Dissociation Solution (non-enzymatic) 细胞分离溶液	100ml	4°C	<b>24</b>	¥230	
03-073-1B	Accutase 细胞消化液	100ml	-20°C	<b>18</b>	¥3,740	
03-080-1B	HAT Supplement, 50X Conc. HAT培养基	100ml	-20°C	<b>18</b>	¥1,100	

03-085-1B	HT Supplement, 50X Conc. HT培养基	100ml	-20°C	<b>18</b>	¥510	
03-100-1B	Phenol Red Solution, 5mg/ml in DPBS 酚红	100ml	AMB	<b>24</b>	¥190	
03-102-1B	Trypan Blue Solution, 5mg/ml in Saline 台盼蓝溶液	100ml	AMB	<b>24</b>	¥190	
20-300-1000	Cell Proliferation Kit (XTT based) 细胞活性检测试剂盒	1000 assays	-20°C	<b>12</b>	¥2,970	
20-500-1000	EZ-ECL Kit HRP化学发光增强试剂盒	1000ml	4°C	<b>12</b>	¥5,830	
20-500-500	EZ-ECL Kit HRP化学发光增强试剂盒	500ml	4°C	<b>12</b>	¥3,080	
20-500-120	EZ-ECL Kit HRP化学发光增强试剂盒	120ml	4°C	<b>12</b>	¥970	

## TWO-FOLD, FIVE-FOLD AND TEN-FOLD CONCENTRATED LIQUID MEDIA PRODUCTS

### 5倍或10倍浓度液体培养基

01-015-5A	Basal Medium Eagle (BME) 10X Conc., Earle's Salts Base, without L-Glutamine, without Sodium Bicarbonate BME培养基 (不含谷氨酰胺, 10倍浓缩液)	500ml	4°C	<b>12</b>	¥590	<b>12x500ml</b>
01-025-5A	Minimum Essential Medium Eagle (MEM-E) 10X Conc., Earle's Salts Base, without L-Glutamine, without Sodium Bicarbonate E-MEM (不含谷氨酰胺, 10倍浓缩液)	500ml	4°C	<b>12</b>	¥436	<b>12x500ml</b>
01-055-4A	Dulbecco Modified Eagle Medium (DMEM) 5X Conc., High Glucose, without L-Glutamine, without Sodium Bicarbonate DMEM高糖 (不含谷氨酰胺和丙酮酸钠, 5倍浓缩液)	500ml	4°C	<b>12</b>	¥910	
01-055-9A	Dulbecco Modified Eagle Medium (DMEM), 2X Conc., High Glucose, without L-Glutamine, with Sodium Bicarbonate DMEM高糖 (不含谷氨酰胺和丙酮酸钠, 2倍浓缩液)	500ml	4°C	<b>12</b>	¥780	
02-010-5A	Earle's Balanced Salt Solution, 10X Conc., with Calcium and Magnesium with Phenol Red, without Sodium Bicarbonate EBSS平衡盐溶液 (含钙和镁, 含酚红, 10倍浓缩液)	500ml	AMB	<b>24</b>	¥7,000	<b>12x500ml</b>
02-015-5A	Hank's Balanced Salt Solution 10X HBSS平衡盐溶液 (10倍浓缩液)	500ml	AMB	<b>24</b>	¥780	<b>12x500ml</b>

02-017-5A	Hanks' Balanced Salt Solution, without Calcium and Magnesium, with Phenol Red HBSS平衡盐溶液 (无钙和镁, 10倍浓缩液)	500ml	AMB	24	¥830	12x500ml
<b>SINGLE-STRENGTH LIQUID MEDIA PRODUCTS</b> <b>液体培养基</b>						
01-340-1B	MEM Non-Essential Amino Acids Solution, 100X Conc. MEM非必需氨基酸	100ml	4°C	12	¥180	
01-343-1D	Nucl & Ribonucl (for MEM-Alpha) ,500X Conc. 核苷&核糖核苷	10ml	-20°C	12	¥1,300	
01-025-1A	Minimum Essential Medium-Eagle (E-MEM), EBSS, without L- Glutamine E-MEM (不含谷氨酰胺)	500ml	4°C	16	¥430	
01-035-1A	Minimum Essential Medium-Eagle (E-MEM), Hanks' Salts Base, without L-Glutamine E-MEM (Hanks, 不含谷氨酰胺)	500ml	4°C	16	¥394	
01-060-1A	MEM-Glasgow GMEM培养基 (含L-谷氨酰胺)	500ml	4°C	16	¥420	
01-040-1A	Minimum Essential Medium (MEM), Earle's Salts Base, with Non-Essential Amino Acids, without L-Glutamine MEM (含非必需氨基酸NEAA, 不含谷氨酰胺)	500ml	4°C	16	¥390	
01-043-1A	Minimum Essential Medium Alpha (MEM-A), with 4.5 g/l D-Glucose (High Glucose), with L-Glutamine, without Ribonucleosides and Deoxyribonucleosides a-MEM (含谷氨酰胺)	500ml	4°C	16	¥430	12x500ml
01-045-1A	Minimum Essential Medium (MEM) for suspension cultures, Earle's Salts, without L-Glutamine MEM (适用于悬浮细胞, 不含谷氨酰胺)	500ml	4°C	16	¥430	12x500ml
01-053-1A	Dulbecco's Modified Eagle Medium (DMEM), High Glucose, without Sodium Pyruvate, without Phenol Red, without L- Glutamine DMEM高糖 (不含丙酮酸钠, 不含酚红, 不含谷氨酰胺)	500ml	4°C	12	¥400	

01-055-1A	Dulbecco's Modified Eagle Medium (DMEM), High Glucose, without Sodium Pyruvate, without L-Glutamine DMEM高糖 (不含丙酮酸钠, 不含谷氨酰胺)	500ml	4°C	12	¥380	
01-056-1A	Dulbecco's Modified Eagle Medium (DMEM), High Glucose, without Sodium Pyruvate, with stable Glutamine DMEM高糖 (不含丙酮酸钠, 含稳定型谷氨酰胺)	500ml	4°C	12	¥430	
01-057-1A	Dulbecco's Modified Eagle Medium (DMEM), without D-Glucose, without Sodium Pyruvate, without L-Glutamine DMEM (不含葡萄糖, 不含丙酮酸钠, 不含谷氨酰胺)	500ml	4°C	12	¥400	
01-059-1A	MCDB-153 (Modified), with L-Glutamine MCDB-153 (含谷氨酰胺)	500ml	4°C	12	¥880	
01-085-1A	Medium M-199 (M199H), Hanks' Salts Base, with L-Glutamine M-199 (Hanks', 含谷氨酰胺)	500ml	4°C	12	¥540	
01-090-1A	Nutrient Mixture F-10 (Ham's), with L-Glutamine F-10 (含谷氨酰胺)	500ml	4°C	12	¥440	
01-095-1A	Nutrient Mixture F-12 (Ham's), with L-Glutamine F-12 (含谷氨酰胺)	500ml	4°C	12	¥420	
01-101-1A	RPMI Medium 1640, without D-Glucose, without L-Glutamine RPMI1640 (不含葡萄糖, 不含谷氨酰胺)	500ml	4°C	16	¥420	
01-103-1A	RPMI Medium 1640, without Phenol Red, without L-Glutamine RPMI1640 (不含酚红, 不含谷氨酰胺)	500ml	4°C	16	¥440	
01-104-1A	RPMI Medium 1640, without L-Glutamine RPMI1640 (不含谷氨酰胺)	500ml	4°C	16	¥380	
01-106-1A	RPMI Medium 1640, with 25mM Hepes, with L-Glutamine RPMI1640 (含Hepes, 含谷氨酰胺)	500ml	4°C	16	¥400	
01-110-1A	Waymouth's MB 752/1 Medium Waymouth's培养基	500ml	4°C	16	¥490	
01-115-1A	Leibovitz L-15 Medium, with L-Glutamine L-15 (含谷氨酰胺)	500ml	4°C	12	¥460	
01-150-1A	Schneider's Drosophila Medium, with L-Glutamine 施耐德的果蝇培养基 (含谷氨酰胺)	500ml	4°C	12	¥600	
01-155-1A	Grace's Insect Medium 昆虫培养基	500ml	4°C	12	¥520	

01-170-1A	Dulbecco's Modified Eagle Medium (DMEM): Nutrient Mixture F-12 (Ham's) (1:1) without L-Glutamine, with Sodium Bicarbonate 1.2gm/l, with Hepes 15mM, with Sodium Pyruvate 55mg/l DMEM: F12 (1:1) (不含谷氨酰胺)	500ml	4°C	12	¥430	
01-821-1A	CMRL-1066 CMRL-1066培养基	500ml	4°C	12	¥1,140	
01-830-1A	MCDB 105 MCDB 105培养基	500ml	4°C	12	¥1,000	
01-852-1A	DEPC-Treated Water DEPC水	500ml	AMB	36	¥1,080	
01-869-1A	Ultra Pure Water (DNase and RNase-free) 超纯水	500ml	AMB	36	¥840	
01-869-1B	Ultra Pure Water (DNase and RNase-free) 超纯水	100ml	AMB	36	¥200	
01-870-1A	TAE Buffer 50X Conc. TAE缓冲液	500ml	AMB	24	¥920	
01-871-1A	TBE Buffer 5X Conc. TBE缓冲液	500ml	AMB	24	¥920	
01-888-1B	RBC Lysis Solution 红细胞溶解液	100ml	4°C	24	¥250	
01-891-1A	RNA Save RNA保存溶液	500ml	AMB	24	¥3,000	
01-891-1B	RNA Save RNA保存溶液	100ml	AMB	24	¥640	
01-944-1B	Gelatin Solution (0.1%) 明胶	100ml	AMB	24	¥320	
02-010-1A	Earle's Balanced Salt Solution, with Calcium and Magnesium, with Phenol Red EBSS平衡盐溶液 (含钙和镁, 含酚红)	500ml	AMB	24	¥490	
02-011-1A	Earle's Balanced Salt Solution, with Calcium and Magnesium, without Phenol Red EBSS平衡盐溶液 (含钙和镁, 无酚红)	500ml	AMB	24	¥490	



02-016-1A	Hanks' Balanced Salt Solution, with Calcium and Magnesium without Phenol Red HBSS平衡盐溶液 (含钙和镁, 无酚红)	500ml	AMB	24	¥490	
02-017-1A	Hanks' Balanced Salt Solution, without Calcium and Magnesium, with Phenol Red HBSS平衡盐溶液 (无钙和镁, 有酚红)	500ml	AMB	24	¥490	
02-018-1A	Hanks' Balanced Salt Solution, without Calcium and Magnesium, without Phenol Red HBSS平衡盐溶液 (无钙, 镁和酚红)	500ml	AMB	24	¥490	
02-020-1A	Dulbecco's Phosphate Buffered Saline (DPBS), with Calcium and Magnesium, without Phenol Red DPBS缓冲液 (含钙和镁, 不含酚红)	500ml	4°C	24	¥490	
02-020-1B	Dulbecco's Phosphate Buffered Saline (DPBS), with Calcium and Magnesium, without Phenol Red DPBS缓冲液 (含钙和镁, 不含酚红)	100ml	4°C	24	¥140	
02-045-1A	Alsever's Solution 阿氏液	500ml	AMB	24	¥520	
02-045-1B	Alsever's Solution 阿氏液	100ml	AMB	24	¥150	
<b>PLEASE ENQUIRE FOR PRICE, STOCK AND AVAILABILITY</b> <b>定制型培养基和试剂</b>						
01-325-1B	MEM Amino Acids Solution, 50X Conc., without L-Glutamine MEM必需氨基酸	100ml	4°C	12	¥410	12x100ml
01-356-1B	Lactalbumin Hydrolysate Sol. 50X 乳白蛋白水解物	100ml	4°C	12	¥780	12x100ml
01-357-1B	Yeastolate 50X 酵母溶液	100ml	4°C	12	¥880	12x100ml
01-919-1A	Gey's Balanced Salt Solution GBSS溶液	500ml	AMB	24	¥960	12x500ml
01-996-1A	ACL-4 Medium RPMI Based with Glutamine ACL-4培养基	500ml	4°C	18	¥1,300	12x500ml
06-1025-01-1A	MEM-E without Phenol Red MEM-E培养基 (无酚红)	500ml	4°C	12	¥1,378	12x500ml

06-1025-37-1A	MEM-E without Niacinamide MEM-E培养基 (无烟酰胺)	500ml	4°C	12	¥3,510	12x500ml
06-1050-01-1A	DMEM Low Glucose without Phenol red DMEM低糖 (无酚红)	500ml	4°C	12	¥3,510	12x500ml
06-1052-12-1A	DMEM High Glucose with Sodium Pyruvate, without Leu, Ile, Val DMEM高糖 (含丙酮酸钠, 不含Leu, Ile, Val)	500ml	4°C	12	¥3,510	12x500ml
06-1052-15-1A	DMEM High Glucose without Serine DMEM高糖 (不含丝氨酸)	500ml	4°C	12	¥3,510	12x500ml
06-1052-17-1A	DMEM High Glucose with Glutamine, without Thiamine HCl DMEM高糖 (含谷氨酰胺, 不含盐酸硫胺)	500ml	4°C	12	¥3,510	12x500ml
06-1095-13-1A	F-12 (HAM), without Glutamine F-12培养基 (不含谷氨酰胺)	500ml	4°C	12	¥1,690	12x500ml
06-1170-89-1A	Modified DMEM:F12 without Glc, HEPES, F.A, NaPyr DMEM:F12 (不含Glc, HEPES, F.A, NaPyr)	500ml	4°C	12	¥1,690	12x500ml
06-1828-01-1A	Modified MCDB 131 MCDB 131培养基	500ml	4°C	12	¥1,120	12x500ml
06-1832-06-1A	MCDB 131 without L-Glutamine MCDB培养基 (不含谷氨酰胺)	500ml	4°C	12	¥1,190	12x500ml
06-2010-03-1B	Modified EBSS with Sodium Pyruvate EBSS (含丙酮酸钠)	100ml	4°C	12	¥220	12x500ml
06-3061-01-5A	Modified SPGA 10X SPGA培养基 (10倍浓缩液)	500ml	4°C	12	¥3,510	12x500ml
06-5100-11-1A	NutriStem hPSC XF with +20 ng/ml bFGF 多能干细胞无血清培养基 (含20 ng/ml bFGF)	500ml	-20°C	18	¥5,070	20x500ml
05-5100-19-1A	Modified NutriStem 25mM HEPES & Reduced NaCl 多能干细胞无血清培养基 (含25mM HEPES和少量的氯化钠)	500ml	-20°C	18	¥10,400	20x500ml
06-5100-13-1A	NutriStem hPSC XF without Phenol red 多能干细胞无血清培养基 (无酚红)	500ml	-20°C	18	¥4,890	
05-F3F3004-1K	NutriStem hPSC XF without Phenol red 多能干细胞无血清培养基 (无酚红)	1L in 2L bag	-20°C	18	¥24,260	
05-F3F3005-1X	NutriStem hPSC XF without Phenol red 多能干细胞无血清培养基 (无酚红)	1.5L in 2L bag	-20°C	18	¥26,360	
05-F3F3006-1X	NutriStem hPSC XF without Phenol red 多能干细胞无血清培养基 (无酚红)	2L in 2L bag	-20°C	18	¥32,730	

05-F3F3007-1X	NutriStem hPSC XF without Phenol red 多能干细胞无血清培养基（无酚红）	2.8L in 4L bag	-20°C	<b>18</b>	¥40,870	
05-F3F3008-1M	NutriStem hPSC XF without Phenol red 多能干细胞无血清培养基（无酚红）	10L in 12L bag	-20°C	<b>18</b>	¥97,940	